

Product Name: Y-TEX OPTIMIZER INSECTICIDAL CATTLE EAR TAGS  
APVMA Approval No: 46406/119795



Label Name:	Y-TEX OPTIMIZER INSECTICIDAL CATTLE EAR TAGS
-------------	--

Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	200 g/kg DIAZINON (an anticholinesterase compound)
-------------------------	--

Claims:	For residual (up to 16 weeks) control of diazinon-susceptible buffalo flies* on beef and dairy cattle (including lactating dairy cows). *Including pyrethroid-resistant strains.  Resistance may develop to any chemical.
---------	--

Net Contents:	20 tags - each 15 g [300 g NET weight] 100 tags - each 15 g [1.5 kg NET weight] 500 tags - each 15 g [7.5 kg NET weight]  It is illegal to sell individual tags separately.
---------------	---

Directions for Use:	
---------------------	--

Restrains:	Remove tags prior to slaughter.
------------	---------------------------------

Contraindications:	This product is contraindicated for use in calves less than three months of age as ear damage may occur.
--------------------	--

Precautions:	
--------------	--

Side Effects:	
---------------	--

Dosage and Administration:	<p>Apply when pests first appear. Two tags should be applied per animal (1 in each ear). Replace as necessary. Remove tags with tag remover. The level and duration of control may be reduced under high fly pressure. The whole herd is to be treated concurrently.</p> <p>Y-TEX Optimizer Insecticidal Cattle Ear Tags will give effective control of Buffalo Flies if used regularly on all animals in the group (over 3 months of age).</p> <p>&lt;Dosage &amp; Administration Table&gt; This section contains file attachment.</p>
----------------------------	---

General Directions:	<p>Y-TEX Optimizer Insecticidal Cattle Ear Tags will give effective control of Buffalo Flies if used regularly on all animals in the group (over 3 months of age). The treatment regime with a periodic rotation program will reduce the potential for insecticide resistance to develop in Buffalo Flies.</p> <p>Application: Apply two tags with the Y-TEX UltraTagger™ (Figures 1 to 4).</p> <p>Figure 1 &lt;drawing&gt; Seat male button firmly on pin, press down and give a slight twist.</p> <p>Figure 2 &gt;drawing&gt; Place female tag firmly under clip by depressing lever. Collar on tag must be pointing down. Tag and button are now ready for application.</p> <p>Figure 3 &lt;drawing&gt; Position male stud between the second and third radial cartilage on the front of the ear. Do not allow shaft of the male button to penetrate any cartilage rib or blood vessels or ear damage may result.</p> <p>Figure 4 &lt;drawing&gt; Squeeze handles of applicator together. When properly positioned, the tag should hang as shown.</p> <p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.</p>
---------------------	---

Withholding Periods:	<p>MEAT: Zero (0) days. MILK: Zero (0) days.</p>
----------------------	--

Trade Advice:	<p>TRADE ADVICE - EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from Landmark Operations Limited on 1800 448 892 or the APVMA website <a href="http://www.apvma.gov.au/residues">www.apvma.gov.au/residues</a>.</p>
---------------	--

Safety Directions:	<p>Product is poisonous if swallowed. Avoid contact with eyes and skin. Repeated minor exposure may have cumulative poisoning effect. When using the product, wear rubber gloves. Wash hands after use. After each day's use, wash gloves.</p>
--------------------	--

First Aid Instructions:	<p>If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.</p>
-------------------------	--

First Aid Warnings:	
Additional User Safety:	<p>ADDITIONAL USER SAFETY INFORMATION:</p> <p>Additional information is listed in the Safety Data Sheet.</p>
Environmental Statements:	<p>ENVIRONMENTAL PROTECTION:</p> <p>Use tags only on cattle. DO NOT contaminate streams, rivers or waterways with the tags or used containers.</p>
Disposal:	<p>[20 tags]: Dispose of container by wrapping with paper and putting in garbage.</p> <p>[100, 500 tags]: Break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or spent tags.</p>
Storage:	<p>Store below 30°C (Room temperature). Store in original container in a dry, cool place. DO NOT store in direct sunlight.</p>

### Dosage and Administration

Animal and Pest	State	Rate	Critical Comments
Cattle, including lactating dairy cows  Buffalo Flies <i>(Haematobia irritans exigua)</i>	QLD, NSW, NT, WA only	One tag per each ear of each animal	Apply when pests first appear. Replace as necessary. Remove tags with tag remover. The level and duration of control may be reduced under high fly pressure. The whole herd is to be treated concurrently.