

Product Name: Y-TEX PYTHON MAXIMA INSECTICIDAL CATTLE EAR TAGS
APVMA Approval No: 57920/119799



Label Name:	Y-TEX PYTHON MAXIMA INSECTICIDAL CATTLE EAR TAGS
-------------	--

Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	200 g/kg PIPERONYL BUTOXIDE 100 g/kg ZETA-CYPERMETHRIN
-------------------------	---

Claims:	One tag/head treatment for up to 12 weeks control of susceptible Buffalo Flies and aids in control of cattle biting lice and nuisance flies on beef and dairy cattle (including lactating dairy cows). Resistance may develop to any chemical.
---------	---

Net Contents:	20 tags - each 15.4 g [308 g NET weight] 100 tags - each 15.4 g [1.54 kg NET weight] 500 tags - each 15.4 g [7.7 kg NET weight] 1000 tags - each 15.4 g [15.4 kg NET weight] 1300 tags - each 15.4 g [20.02 kg NET weight] It is illegal to sell individual tags separately.
---------------	---

Directions for Use:	
---------------------	--

Restrains:	Remove tags prior to slaughter.
------------	---------------------------------

Contraindications:	This product is contraindicated for use in calves less than 3 months of age as ear damage may occur.
--------------------	--

Precautions:	
--------------	--

Side Effects:	
---------------	--

Dosage and Administration:	<p>Animal and Pest Cattle, including lactating dairy cows. Buffalo Flies (<i>Haematobia irritans exigua</i>), nuisance flies and Cattle Biting Lice (<i>Damalinia bovis</i>). State For treatment of Buffalo Fly in QLD, NSW, WA and NT. For treatment of nuisance flies and biting lice in all states. Rate Fly control and Cattle Biting Lice control: One tag on one ear of each animal (1/head).</p> <p>Critical comments For Buffalo Fly control: Only apply when fly numbers exceed acceptable levels. Removal of tags after 3 months will ensure fly populations are not exposed to sub-lethal doses which may increase the chance of resistance. Remove tags with tag remover. The level and duration of control may be reduced under high fly pressure. The whole herd is to be treated concurrently.</p> <p>For Cattle Biting Lice control: Apply tags in late Autumn or early Winter and remove after 3 months.</p> <p>Application: Apply tags with Y-TEX Ultra Tagger™ (Figures 1 to 4).</p> <p>Figure 1 Seat male button firmly on pin, press down and give a slight twist.</p> <p>Figure 2 Place female tag firmly under clip by depressing lever. Collar on tag must be pointing down. Tag and button are now ready for application.</p> <p>Figure 3 Position male stud between the second and third radial cartilage on the front of the ear. Do not allow shaft of the male button to penetrate any cartilage rib or blood vessels or ear damage may result.</p> <p>Figure 4 Squeeze handles of applicator together. When properly positioned, the tag should hang as shown.</p>
----------------------------	---

General Directions:	<p>Y-Yex Python Maxima Insecticidal Cattle Ear Tags will give effective control of Buffalo Flies if used regularly on all animals in the group (over 3 months of age). The treatment regime with a periodic rotation program will reduce the potential for insecticide resistance to develop.</p> <p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.</p>
---------------------	--

Withholding Periods:	<p>MEAT: Zero (0) days MILK: Zero (0) days</p>
----------------------	--

Trade Advice:	<p>TRADE ADVICE - EXPORT SLAUGHTER INTERVAL (ESI): Zero (0) days. Before using this product, confirm the current ESI from Landmark Operations Limited on 1800 448 892 or the APVMA website www.apvma.gov.au/residues.</p>
---------------	--

Safety Directions:	Product may be poisonous if swallowed. Avoid contact with eyes and skin. Facial skin contact may cause temporary numbness. Repeated minor exposure may have a cumulative poisoning effect. When using this product, wear rubber gloves. Wash hands after use. After each day's use, wash gloves.
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.
First Aid Warnings:	
Additional User Safety:	ADDITIONAL USER SAFETY INFORMATION: Additional information is listed in the Safety Data Sheet.
Environmental Statements:	ENVIRONMENTAL PROTECTION: Use tags only on cattle. DO NOT contaminate streams, rivers or waterways with the tags or used containers.
Disposal:	[20T]: Dispose of container by wrapping with paper and putting in garbage. [100T, 500T, 1000 T, 1300 T]: Break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or spent tags.
Storage:	Store below 30°C (Room temperature). Store in original container in a dry, cool place. DO NOT store in direct sunlight.